40, 48 and 60" BRAVIA professional full HD LED displays

FWD-40W600P FWD-48W600P FWD-60W600P







Edge LED Backlight with Frame Dimming

Impress with high contrast Full HD images; Frame Dimming intelligently adjusts backlight levels to save energy.

HTML5 support for simple box-free digital signage

The built in HTML5 browser makes it easy to create your own media rich signage, including text, graphics, video and live web feeds.

Convenient D-Sub 15 pin and HDMI connections

Link BRAVIA Professional displays to any PC with the D-Sub 15 pin, four HDMI input ports or Ethernet connection.

Cost-effective, energy-efficient displays

Competitively priced, slim, energy-efficient: BRAVIA Full HD LED displays are the smart way to make your point in boardrooms, offices, public spaces, retail venues and schools.

Easy set-up and connectivity

Lightweight BRAVIA displays are easy to install with plentiful connections and Wi-Fi networking – just plug-in and go. Linking to smartphones or tablets is simple too, with screen-mirroring technology.

Optimal controls and signage creation

Each display includes USB playback, IP control, RS232C control (with optional accessory CBX-H11/1), Hotel Mode and web-friendly HTML5 for easy digital signage creation.

Energy-efficient LCD panel

The panel's LED backlight consumes less power than conventional fluorescent backlighting. Frame Dimming intelligently analyses picture content, adjusting backlighting to save even more energy.

Built-in HTML5 for dynamic box-free signage

With BRAVIA Professional's built-in HTML5 browser you can create your own digital signage content, as well as send it to displays across the globe. You can include text, graphics, video and even live web feeds – with no dedicated hardware player needed.



Customise your display settings with Hotel Mode

Customise and store display settings and features for your specific requirements. Settings can be copied from display to display with a USB flash memory.

Slim, lightweight design

Enhance any business environment or public space with BRAVIA's stylish design and super-slim 16mm bezel. Our latest displays are all considerably lighter than previous models.

Integrated media player

For video and all kinds of media content, BRAVIA Professional displays play a total of 37 different file formats, effortlessly, from the integrated USB flash memory.

Friendly interface for easy access and control

Select inputs, manage

connected devices and easily adjust display settings with our new, intuitive graphical interface.





Smoother, sharper pictures

Advanced Motionflow XR picture processing accurately reproduces fast-moving on-screen action in videos or animations for smoother, incredibly natural viewing.





Energy-saving ambient light sensor

Display brightness is automatically adjusted to suit ambient lighting conditions. This reduces energy consumption without compromising picture quality.

Screen-mirroring for smartphones and tablets

Transfer your smartphone or tablet content to the TV screen so you can play videos, show photos and more, thanks to Ethernet and built-in Wi-Fi for easy wired or wireless Internet connection.



Web browser

The built-in browser means you can connect to the Internet to run apps and view web pages. You can use

your smartphone or tablet to control the on-screen cursor and input text (by downloading the free TV SideView app for iOS/Android).

Skype ready

Hold crisp, clear HD quality video calls over the Internet with Skype (requires optional CMU-BR200 camera/microphone accessory).

Versatile control options

Control BRAVIA Professional displays remotely – including on/off, input signal select and adjust volume – over IP via RJ45, by web API, or via RS-232C. (RS-232C control requires optional HDMI convertor box CBX-H11/1).

Installation friendly

The slim, stylish display offers a wide range of mounting options and integrates neatly into any corporate, retail or educational environment.

Interactivity options

Turn your BRAVIA Professional display into an interactive touchscreen with U-Touch overlays. Designed to fit seamlessly onto the BRAVIA screen, it's easy to set up and allows 6 multi-touch points for greater interaction. Contact your local Sony dealer for more information.



Ideal for:

- Corporate presentation display
- Digital signage
- Video conferencing
- Education



Clear, crisp Full HD detail that will have your audience enthralled

| ^ · · · · | e | |
|------------------|---|-------|
| Speci | | I A A |
| Speci | | |
| | | |

| 576/50l; 576/50p; 720/60p; 576/50p; 1080/30p (HDMI only) 720/30p (HDMI only); 720/24p (HDMI only) 720/30p (HDMI only); 720/24p (HDMI only) r Position Down Filing Power Output 8W + 8W 10W + 10W rect Ready rect Yes entitled Apps (System) Yes mirroring Yes Network Features View ^{MI} Yes Browser Yes (Opera) stAN Integrated MPEG1/MPEG2PS/MPEG2TS/M2CHD/MP4Part10/MP4Part2/ AV(XVID)/AVI(Motion.Jpeg)/MOV/WMV/MKV/WEBM/3GPP/MP3 WMAWAVJEG/MOV/RAWAV/MEK/WEBM/3GPP/MP3 | | | | | |
|--|---|--|--|--|--|
| Display Features In Type Frame Dimming In Type LED Opvice LCD Size (diagonal) 40" (40") 48" (47.6") 60" (60.0") size (cm) 101.6 cm 120.9 cm 152.5 cm ic Contrast Over 1 million 0 60" (60.0") g angle 0 178 (89/89) 0 own) Full HD 178 (89/89) 0 resolution Full HD 16:9 0 ide Yes 16:2 Full/Normal/Wide Zoom/Zoom Caption/14:9 for Video Normal/Full /Full 2 for PC folde Full/NormalWide Zoom/Zoom Caption/14:9 for Video Normal/Full /Full 2 for PC 400 Hz forcessing X:Reality PRO 400 Hz itiow 200 Hz 400 Hz folde Video Specs 1080/50; 1080/50p (FDM//Component): 480/60p (FDM//Component): 480/60p (FDM//Component): 480/60p (FDM//Component): 480/60p (FDM//Component): 480/60p (FDM//Component): 720/24p (HDMI only); 720/30p (HDM//Component): 480/60p (FDM//Component): 720/24p (HDM//Component): 720/24p (HDM//Component): 720/24p (HDM | | | | | |
| Ing Type Frame Dimming Int Type LED "Device LCD size (diagonal) 40° (40°) 48° (47.6°) 60° (60.0°) size (an) 101.6 cm 120.9 cm 152.5 cm tic Controst Over 1 million 152.5 cm tic Controst Over 1 million 16.5 9 gangle 178 (89/89) 166 gangle 178 (89/89) 166 feat Ves 167 fed Ves 166 Ratio 16.5 9 166 feat Ves 167 fed Ves 160 feat Ves 160 feat Ves 1000 (Full/Normal/Wide Zoom/Zoom Caption/14:9 for Video Normal/Full/Full/Full/E for PC feat Network Features 400 Hz feat Video Specs 1080/24p (HDMI only); 1080/60p (HDMI/Component); 480/60p (500/60p) 1080/24p (HDMI only); 1080/60p; 576/50p; 70/60p; 76/50p; 1080/30p (HDMI only) 720/30p (HDMI only); 720/30p (HDMI on | | | | | |
| Init Type LED CDevice LCD Size (diagonal) 40° (40°) 48° (47.6°) 60° (60.9°) size (cm) 101.6 cm 120.9 cm 152.5 cm Ice Contrast Over 1 million 152.5 cm ice Contrast Over 1 million 152.5 cm ice Contrast Over 1 million 169 ice Yes 166 Yes Yes Yes ice Full/Normal/Wide Zoom/Zoom Caption/14:9 for Video Normal/Full /Full 2 for PC icault Yes Yes ifoode Full/Normal/Wide Zoom/Zoom Caption/14:9 for Video Normal/Full /Full 2 for PC ifow 200 Hz 400 Hz 400 Hz Video Specs 1080/24p (HDMI only): 1080/60p (HDMI/Component): 480/60p 576/50p; 720/50p; 576/50p; 720/50p; 576/50p; 720/60p; 576/50p; 720/50p; 720/50p; 576/50p; 720/50p; 576/50p; 720/50p; 576/50p; 720/50p; 720/50p; 576/50p; 720/50p; 720/50p; 576/50p; 720/50p; 720/50p; 576/50p; 720/50p; 72 | | | | | |
| Device LCD Display Specs size (cliagonal) 40° (40°) 48° (47.6°) 60° (60.0°) size (cm) 101.6 cm 120.9 cm 152.5 cm iic Confrast Over 1 million 0 g angle 178 (89/89) 178 (89/89) irresolution Full HD Ratio 16.9 resolution Full/Normal/Wide Zoom/Zoom Caption/14:9 for Video Normal/Full /Full2 for PC Forcessing fode Full/Normal/Wide Zoom/Zoom Caption/14:9 for Video Normal/Full /Full2 for PC 400 Hz fode Full/Normal/Wide Zoom/Zoom Caption/14:9 for Video Normal/Full /Full2 for PC 400 Hz forcessing X-Reality PRO 400 Hz flow 200 Hz 400 Hz signal 1080/24p (HDMI only); 1080/60p; 576/50; p; 720/69p; 726/50; p; 720/69p; 726/50; p; 720/69p; 726/50; p; 726/50p; 726/5 | | | | | |
| Display Specs size (cm) 40" (40") 48" (47.6") 60" (60.0") size (cm) 101.6 cm 120.9 cm 152.5 cm ic Contrast Over 1 million 152.5 cm ic Contrast Over 1 million 152.5 cm iown) 178 (89/89) | | | | | |
| size (clagonal) 40° (40°) 48° (47.6°) 60° (60.0°) size (cm) 101.6 cm 120.9 cm 152.5 cm ilc Contrast Over 1 million 152.5 cm g angle 178 (89/89) Imillion g angle Yes Imillion fide Yes Imillion fide Yes Imillion fide Yes Imillion filow 200 Hz 400 Hz 400 Hz filow 200 HDMI only; 720/24p (HDMI | | | | | |
| size (cm) 101.6 cm 120.9 cm 152.5cm iic Contrast Over 1 million g angle 178 (89/89) idemn) Full HD resolution Full HD Ratio 16:9 ide Yes folde Full/Normal/Wide Zoom/Zoom Caption/14:9 for Video Normal/Full T/Full2 for PC folde Full/Normal/Wide Zoom/Zoom Caption/14:9 for Video Normal/Full T/Full2 for PC folde Full/Normal/Wide Zoom/Zoom Caption/14:9 for Video Normal/Full T/Full2 for PC folde Full/Normal/Wide Zoom/Zoom Caption/14:9 for Video Normal/Full T/Full2 for PC folde 1080/24p (HDMI only): 1080/60p (HDMI/Component): 480/60p (400/60p (| | | | | |
| Inic Contrast Over 1 million grangle 178 (89/89) forwn) Full HD Ratio 16:9 resolution Full HD Ratio 16:9 Ide Yes Ide Down Pithing Ide Down Fiting Power Output 8W + 8W 10W + 10W Network Features Ide Integrated Yes Streaming Yes Integrated Yes Integrated Yes <td></td> | | | | | |
| Over 1 million g ongle 178 (89/89) indexed 178 (89/89) resolution Full HD Ratio 16:9 ide Yes folde Full/Normal/Wide Zoom/Zoom Caption/14:9 for Video Normal/Full1/Full2 for PC fauit Yes fauit Yes fauit Yes folde Normal/Full1/Full2 for PC fauit Yes folde 200 Hz flow 200 Hz 1080/24p (HDMI only); 1080/60p (HDMI/Component); 480/60i, 480/60p (HDMI/Component); 480/60i, 480/60p (HDMI only); 720/24p (HDMI only); 720/24p (HDMI only); 720/30p (HDMI only); 720/24p (HDMI only); 720/30p (HDMI only); 720/30p (HDMI only); 720/24p (HDMI only); 720/30p (HDMI only); 720/30p (HDMI only); 720/30p (HDMI only); 720/24p (HDMI only); 720/30p (HDMI only); 720/30p (HDMI only); 720/24p (HDMI only); 720/30p (HDMI only); 720/24p (HDMI only); 720/30p (HDMI only); 720/30p (HDMI only); 720/24p (HDMI only); 720/30p (HDMI only); 720/30p (HDMI only); 720/30p (HDMI only); 720/30p (HDMI only); 720/24p (HDMI only); 720/30p (HDMI only); 720/24p (HDMI only); 720/30p (HDMI only); 720/24p (HDMI only); 720/24p (HDMI only); 720/24p (HDMI only); 720/24p (HDMI only); 720/30p (HDMI only); 720/24p (HDMI only); 720/30p (HDMI only | | | | | |
| town) | | | | | |
| indivinj Full HD rresolution Full HD Ratio 16:9 ide Yes fode Full/Normal/Wide Zoom/Zoom Caption/14:9 for Video Normal/Full /Full2 for PC foult Yes foult Yes Processing X-Reality PRO flow 200 Hz 400 Hz Video Specs Video Specs 1080/24p (HDMi only); 1080/60p (HDMi/Component); 480/60b; 480/60p, 576/50p; 576/50p; 576/50p; 576/50p; 576/50p; 576/50p; 576/50p; 1080/30p (HDMi only) 720/30p (HDMi only); 720/24p (HDMi only) 720/30p (HDMi only); 720/24p (HDMi only) 720/30p (HDMi only); 720/24p (HDMi only) 720/30p (HDMi only); 720/24p (HDMi only) 720/30p (HDMi only); 720/24p (HDMi only) 720/30p (HDMi only); 720/24p (HDMi only) 720/30p (HDMi only); 720/24p (HDMi only) 720/30p (HDMi only); 720/24p (HDMi only) 8/wer Output 8W + 8W 10W + 10W Viewer Qutput 8W + 8W 10W + 10W Viewer Yes Yes 9 Apps (System) Yes 9 Network Features Yes 9 Integrated Yes 9 | 178 (80/80) | | | | |
| Ratio 16:9 ide Yes folde Full/Normal/Wide Zoom/Zoom Caption/14:9 for Video Normal/Full /Full2 for PC fauit Yes fauits/Sop (HDMI/Component): 480/60; 1080/50p (HDMI/Component): 480/60; 480/60p fauits/Sop (HDMI only); 720/24p (HDMI only) fauits/Sop (HDMI/Component); 480/60; 100 / 10 | | | | | |
| Ide Yes fode Full/Normal/Wide Zoom/Zoom Caption/14:9 for Video Normal/Full?/Full2 for PC four Yes four Yes Processing X-Reality PRO flow 200 Hz 400 Hz 1080/24p (HDMI only); 1080/60; 1080/60p (HDMI/Component); 480/60p, 480/60p, 1080/50p (HDMI/Component); 480/60; 480/60p, 576/50p; 576/50p; 576/50p; 576/50p; 576/50p; 1080/30p (HDMI only) 720/30p (HDMI only); 720/24p (HDMI only) 6 Ready rect Ready rect Ready rect Yes <t< td=""><td></td></t<> | | | | | |
| Full/Normal/Wide Zoom/Zoom Caption/14:9 for Video Normal/Full/Full2 for PC foult Yes Processing X-Reality PRO flow 200 Hz 400 Hz Video Specs 400 Hz Signal 1080/24p (HDMI only); 1080/60i; 1080/60p (HDMI/Component]; 480/60i; 480/60p, 576/50p; 576/50p; 576/50p; 576/50p; 576/50p; 576/50p; 576/50p; 1080/30p (HDMI only); 720/24p (HDMI only); 720/30p (HDMI only); 720/24p (HDMI only); 720/30p (HDMI only); 720/24p (HDMI only); 720/24p (HDMI only); 720/30p (HDMI only); 720/24p (HDMI only); 720/30p (HDMI only); 720/24p (HDMI only); 720/24p (HDMI only); 720/30p (HDMI only); 720/24p (HDMI only); 720/30p (HDMI only); 720/24p (HDMI on | | | | | |
| Normal/Full1/Full2 for PC Gold Normal/Full1/Full2 for PC Gold Yes Processing X-Reality PRO Itow 200 Hz 400 Hz Itow 1080/50p; 726/50p; 726/ | | | | | |
| Processing X-Reality PRO flow 200 Hz 400 Hz Video Specs 1080/24p (HDMI only); 1080/60p (HDMI/Component 1080/50p; 1080/50p; 1080/50p; 1080/60p (HDMI/Component); 480/60p (576/50p; 576/50p; 576/50p; 576/50p; 576/50p; 576/50p; 576/50p; 720/60p; 576/50p; 1080/30p (HDMI only) Signal Audio Specs 400 Hz ar Position Audio Specs 400 Hz owner Output 8W + 8W 10W + 10W Network Features 10W + 10W Audio Specs 10W + 10W Position Down Filing Network Features 10W + 10W Viewer Output 8W + 8W 10W + 10W Network Features Viewar Yes Apps (System) Yes Second Yes entified Yes Yes Monor Market Yes Second Yes standing Yes Yes Papes (System) Yes Yes Standing Yes Yes Introving Yes (Opera) Integrated Stand Integrated Yes Yes (Contents) | | | | | |
| Itiow 200 Hz 400 Hz Video Specs 1080/24p (HDMI only): 1080/60p (HDMI/Componer 1080/50p (HDMI/Componer): 480/60p; 576/50p; 720/50p; 720/50p; 576/50p; 720/50p; 720/50p; 720/50p; 720/50p; 720/50p; 720/24p (HDMI only) 576/501; 576/50p; 720/50p; 720/50p; 1080/30p (HDMI only) 720/24p (HDMI only) 576/501; 576/50p; 720/60p; 576/50p; 1080/30p (HDMI only) 720/24p (HDMI only) 720/30p (HDMI only); 720/24p (HDMI only) 720/24p (HDMI only) 6wer Output 8W + 8W 10W + 10W Network Features 10W + 10W *r Ready 10W + 10W Ses Streaming Yes mirroring Yes Press 108 Streaming Yes Browser Yes (Opera) s LAN Integrated MPEG1/MPEG27S/MPEG27S/AVCHD/MP4Part10/MP4Part2/ AV(XVID)/AVI(Motion.jpeg)/MOV/WMV/MKV/WEBM/3GPP/MP3 V(Contents) MPEG1/MPEG2PS/MPEG27S/AVCHD/MP4Part10/MP4Part2/ AV(XVID)/AVI(Motion.jpeg)/MOV/WMV/MKV/WEBM/3GPP/MP3 WAVAVJPEG/MPVG/RAW(ARW) Git | | | | | |
| Video Specs 1080/24p (HDMI only); 1080/60p (HDMI/Component 1080/50); 1080/50p (HDMI/Component); 480/60p, 576/50); 576/50p, 720/50p, 720/50p, 1080/30p (HDMI only) 720/30p (HDMI only); 720/24p (HDMI only) 720/30p (HDMI only); 720/24p (HDMI only) stransport | | | | | |
| 1080/24p (HDMI only); 1080/60); 1080/60p (HDMI/Component): 480/60i; 1080/50p (HDMI/Component): 480/60i; 576/50; 576/50p; 720/60p; 576/50p; 1080/30p (HDMI only); 720/30p (HDMI | | | | | |
| Signal 1080/50i; 1080/50p (HDMI/Component); 480/60i; 480/60p, 576/50i; 576/50p; 720/50p; 576/50p; 1080/30p (HDMI only) 720/30p (HDMI only); 720/24p (HDMI only) 720/30p (HDMI only); 720/24p (HDMI only) er Position Down Fiting Power Output 8W + 8W 10W + 10W Power Output 8W + 8W 10W + 10W rect Yes 10W + 10W rect Yes 10W + 10W Apps (System) Yes 10W + 10W resting Yes 10W + 10W minoring Yes 10W + 10W view/* Yes 10W + 10W straming Yes 10W + 10W stramino Yes 10W + 10W stramino Yes 10W + 10W transformation Yes 10W + 10W stramino Yes 10W + 10W transformation Yes 10W + 10W | | | | | |
| er Position Down Firing Power Output 8W + 8W 10W + 10W | 1080/50i; 1080/50p (HDMI/Component); 480/60i; 480/60p; 576/50i; 576/50p; 720/60p; 576/50p; 1080/30p (HDMI only); | | | | |
| Power Output 8W + 8W 10W + 10W Network Features Ready Ready rect Ready rect Yes entified Yes Apps (System) Yes mirroring Yes mirroring Yes Browser Yes (Opera) s LAN Integrated Convenience Features cture PAP (Variable) MPEG 1/MPEG2PS/MPEG2TS/M2CHD/MP4Part10/MP4Part12/ AV((XVID)/AVI(Motion.Jpeg)/MOV/WMV/MKV/WEBM/3GPP/MP3 WMAWAVJ.JPEG/MPO/RAW(ARW) al Yes | | | | | |
| Network Features Ready Ready rect Yes ertified Yes Apps (System) Yes ses Streaming Yes mirroring Yes mirroring Yes Browser Yes (Opera) s LAN Integrated Convenience Features cture PAP (Variable) MPEG 1/MPEG2PS/MPEG2TS/AVCHD/MP4Part10/MP4Part2/ AV((XVID)/AVI(Motion.jpeg)/MOV/WMV/MKV/WEBM/3GPP/MP3 WMAWAVJPEG/MPO/RAW(ARW) al Yes | | | | | |
| Ready rect Yes entified Yes Apps (System) Yes Streaming Yes ss Streaming Yes mirroring Yes Wew!** Yes Browser Yes (Opera) s LAN Integrated Convenience Features cture PAP (Variable) V(Contents) MPEG1/MPEG2PS/MPEG2TS/AVCHD/MP4part10/MP4Part2/ AVI(XVID)/AVI(Motion.jpeg)/MOV/WMV/MKV/WEBM/3GPP/MP3 WMA/WAV/JPEG/MPO/RAW(ARW) al Yes | | | | | |
| Yes entified Yes Apps (System) Yes Apps (System) Yes mirroring Yes mirroring Yes Browser Yes (Opera) s LAN Integrated Convenience Features sture PAP (Variable) MPEG 1/MPEG2PS/MPEG2TS/AVCHD/MP4Part10/MP4Part2/ AVI(XVID)/AVI(Motion.Jpeg)/MOV/MWV/MKV/WEBM/3GPP/MP3 WMAVAV/JPEG/MPO/RAW(ARW) al Yes | | | | | |
| entified Yes Apps (System) Yes ses Streaming Yes mirroring Yes view" ¹⁴ Yes Browser Yes (Opera) s LAN Integrated Convenience Features sture PAP (Variable) MPEG 1/MPEG 2PS/MPEG 2TS/AVC HD/MP4Part10/MP4Part2/ AVI(XVID)/AVI(Motion.Jpeg)/MOV/MW/VMKV/WEBM/3GPP/MP3 WMAVAVJ.PEG/MPO/RAW(ARW) al Yes | | | | | |
| Apps (System) Yes ass Streaming Yes minroining Yes View ^{1M} Yes Browser Yes (Opera) s LAN Integrated Convenience Features sture PAP (Variable) v(Contents) MPEG1/MPEG2PS/MPEG2TS/AVCHD/MP4Part10/MP4Part2/ AVI(XVID)/AVI(Motion.Jpeg)/MOV/MW/MKV/WEBM/3GPP/MP3 WMA/WAV/JPEG/MPO/RAW(ARW) al Yes | Yes | | | | |
| Streaming Yes mirroring Yes mirroring Yes View ^{MI} Yes Browser Yes (Opera) s LAN Integrated Convenience Features cture PAP (Variable) V(Contents) MPEG1/MPEG2PS/MPEG2TS/AVCHD/MP4Part10/MP4Part2/ AVI(XVID)/AVI(Motion.Jpeg)/MOV/WMV/MKV/WEBM/3GPP/MP3 WMA/WAVJPEG/MPO/RAW(ARW) al Yes | Yes | | | | |
| Mirroring Yes View ¹⁴ Yes Browser Yes (Opera) s LAN Integrated Convenience Features ture PAP (Variable) y (Contents) MPEG1/MPEG2PS/MPEG2TS/AVCHD/MP4Part10/MP4Part2/ AVI(XVID)/AVI(Motion.Jpeg)/MOV/MM//MKV/WEBM/3GPP/MP3 WMAWAV/JPEG/MPO/RAW(ARW) al Yes | Yes | | | | |
| View ^{W4} Yes Browser Yes (Opera) s LAN Integrated Convenience Features sture PAP (Variable) y (Contents) MPEG 1/MPEG2PS/MPEG2TS/AVCHD/MP4Part10/MP4Part2/ AVI[XVID]/AVI[Motion.jpeg]/MOV/WMV/IMKV/WEBM/3GPP/MP3 WMAVMAV/JPEG/MPO/RAW(ARW) al Yes | Yes | | | | |
| Browser Yes (Opera) s LAN Integrated Convenience Features PAP (Variable) ture PAP (Variable) y (Contents) MPEG1/MPEG2PS/MPEG2TS/AVCHD/MP4Part10/MP4Part2/ AVI(XVID)/AVI(Motion.Jpeg)/MOV/MWV/MKV/WEBM/3GPP/MP3 WMAVMAV/JPEG/MPO/RAW(ARW) al Yes | Yes | | | | |
| S LAN Integrated Convenience Features PAP (Variable) y (Contents) MPEG 1/MPEG2PS/MPEG2TS/AVCHD/MP4Part10/MP4Part2/ AVI(XVID)/AVI(Motion.Jpeg)/MOV/MWV/MKV/WEBM/3GPP/MP3 WMAVWAV/JPEG/MPO/RAW(ARW) al Yes | Yes | | | | |
| Convenience Features pAP (Variable) y (Contents) MPEG1/MPEG2PS/MPEG2TS/AVCHD/MP4Part10/MP4Part2/ AVI(XVID)/AVI(Motion.Jpeg)/MOV/MWV/MKV/WEBM/3GPP/MP3 WMAWAVJ.PEG/MPO/RAW(ARW) ol Yes | | | | | |
| Sture PAP (Variable) V (Contents) MPEG1/MPEG2PS/MPEG2TS/AVCHD/MP4Part10/MP4Part2/ AVI(XVID)/AVI(Motion.Jpeg)/MOV/MWV/MKV/WEBM/3GPP/MP3 WMAWAVJPEG/MPO/RAW(ARW) ol Yes | | | | | |
| y (Contents) MPEG1/MPEG2PS/MPEG2TS/AVCHD/MP4Part10/MP4Part2/ AVI(XVID)/AVI(MotionJpeg)/MOV/WMV/MKV/WEBM/3GPP/MP3 WMA/WAV/JPEG/MPO/RAW(ARW) al Yes | | | | | |
| y (Contents) AVI(XVID)/AVI(MotionJpeg)/MOV/WMV/MKV/WEBM/3GPP/MP3 WMA/WAV/JPEG/MPO/RAW(ARW) al Yes | | | | | |
| | AVI(XVID)/AVI(MotionJpeg)/MOV/WMV/MKV/WEBM/3GPP/MP3/ | | | | |
| | | | | | |
| een Clock Yes | | | | | |
| imer Yes | | | | | |
| y Yes (USB viewer supports FAT16, FAT32, exFAT & NTFS file system | | | | | |
| e Language Estonian/Finnish/French/Hebrew/Craatian/Hungarian/Italian/kaz Lithuanian/Latvian/Dutch/Nowegjan/Polish/Portuguese/Roman Russian/Slovak/Slovenian/Serbian/Swedish/Turkish/Ukrainian | 1kh/ | | | | |
| Energy-Saving & Efficiency | | | | | |
| nk for EU A+ A++ A+ | | | | | |
| iic Backlight I Yes | Yes | | | | |
| Saving Mode / Yes | | | | | |

| | FWD-40W600P | FWD-48W600P | FWD-60W600P | | | | |
|-------------------------------------|--|--------------------------------|------------------------------|--|--|--|--|
| | G | eneral Features & Cont | rol | | | | |
| Finish (Surface Colour) | | Black | | | | | |
| Hotel Mode Menu | | Yes | | | | | |
| IP Control | | Yes (by WEBAPI) | | | | | |
| RS-232C Control | Yes (by | CBX-H11/1 optional acc | cessory) | | | | |
| MHL | | Yes | | | | | |
| | | Inputs & Outputs | Distail | | | | |
| AC Power Input | AC Adapte | er (external) | Pigtail | | | | |
| Composite Video Inputs | 1 (Rear Hybrid w/Component) | | | | | | |
| | 1 (Rear) | | | | | | |
| | 4 (1 Side/3 Bottom) | | | | | | |
| PC In (D-Sub) | Yes | | | | | | |
| Analogue Audio Inputs(s) (Total) | 2 (Rear) | | | | | | |
| Digital Audio Output(s) | 1 (Rear) | | | | | | |
| Audio Out | 1 (Side/Hybrid w/HP) | | | | | | |
| USB | 2 (Side) | | | | | | |
| Ethernet | | | | | | | |
| | 1 (Rear) | | | | | | |
| HDMI [™] PC Input | Yes | | | | | | |
| | Power | | | | | | |
| Power Consumption (In Operation) | Shop 84W / Home 45W Shop 176W / Hor | | | | | | |
| Power Consumption (In Standby) | 0.9 | 0.25W | | | | | |
| | Regula | tion & Standards Com | oliance | | | | |
| | 300 x 200 mm 300 x 300 mm | | | | | | |
| | Service & Warranty | | | | | | |
| Standard Warranty | 3 Years | | | | | | |
| | I | Measurements (Approx | .) | | | | |
| | 92.6 x 55.6 x 8.9 (4.9) cm | 108.6 x 64.6 x 9.0 (4.9) cm | 137 x 81.1 x 8.4 (4.8) cm | | | | |
| TV with Stand (WxHxD) (Approx.) | 92.6 x 58.4 x 16.2 cm | 108.6 x 67.5 x 18.1 cm | 137 x 84.6 x 23 cm | | | | |
| Package Carton (WxHxD) (Approx.) | 120.2 x 64.4 x 13.5 cm | 138.5 x 73.5 x 13.5 cm | 149.8 x 92.1x 21.6 cm | | | | |
| | | Weights (Approx.) | | | | | |
| TV Only | 7.4 Kg | 9.9 Kg | 19.9 kg | | | | |
| TV with Stand | 7.9 Kg | 10.3 Kg | 20.5 kg | | | | |
| Gross (Package Carton) | 12.0 kg | 15.0 kg | 26.0 kg | | | | |
| Operating instructions languages | GB,FR,DE,NL,ES,PT,IT,DK,NO,SE,FI,PL,CZ,SK,HU,RO,BG,GR,TU,RU,UA | | | | | | |
| Table Top Stand | Separate (assembly required) | | | | | | |

Optional accessory:



For full features visit www.pro.sony.eu/bravia-display

© 2014 Sony Corporation. All rights reserved. Reproduction in whole or in part without permission is prohibited. Features and specifications are subject to change without notice. All non-metric weights and measurements are approximate. 'Sony' and 'BRAVIA' are registered trademarks or trademarks of Sony Corporation. All other trademarks are the property of their respective owners.

| Distributed by | | |
|----------------|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Sony is the leading supplier of AVIIT solutions to businesses across a wide variety of sectors including, **Media and Broadcast**, **Video Security**, **Medical**, **Digital Cinema and Displays**. It delivers products, systems and applications to enable the creation, manipulation and distribution of digital audio-visual content that add value to businesses and their customers. With over 25 years' experience in delivering innovative marketleading products, **Sony** is ideally placed to deliver exceptional quality and value to its customers. Collaborating with a network of established technology pathers, **Sony** delivers end-to-end solutions that address the customer's needs, integrating software and systems to achieve each organisation's individual business goals. For more information please visit **www.pro.sony.eu**

Follow us on Twitter at @SonyProEurope / www.twitter.com/sonyproeurope

HCT_BRAVIA_PR_DISPLAYS_40/48/65_Datasheet_J2829_UK_03/04/14_V1

SONY