




# **CMC-2** CONEKT<sup>™</sup> MOBILE ACCESS CREDENTIAL





### Conekt<sup>™</sup> Mobile Smartphone Access Control Solution



Frequency: 2.4 GHz

Read Range: CSR-35P: Upon presentation up to 1.5 inches (38 mm) CSR-35L: Up to 15 feet (4.6 m)



Bluetooth Low Energy Operate with Conekt Mobile-Ready Readers



**High-Security Encryption Technology** Protected Behind the Smartphone's Security Parameters



**Respect For Privacy** Easy, One-Time Registration without Disclosure of Private Information



Conekt Wallet App Store Multiple Conekt Mobile Access Credentials in a Single Location



Private Label Add Company Name, Logo, Phone Number, Web Address and More



MAXSecure™ Unique Security Feature



**Contactless** Supports Both Presentation and Longer-Range Options



## CMC-2 CONEKT<sup>™</sup> MOBILE ACCESS CREDENTIAL

Conekt comprises Farpointe Data's mobile credential solution, utilizing Bluetooth Low Energy (BLE) to enable communication between a smart phone and Conekt mobile-ready readers. Stored and activated within the Conekt Mobile Wallet App, Conekt mobile credentials work in much the same manner as physical credentials, supporting 26-Bit Wiegand format, as well as custom Wiegand, ABA Track II magnetic stripe and serial data formats. They employ value-add features, such as MAXSecure<sup>™</sup>, and advanced data protection, such as AES encryption. Conekt access credentials, both traditional and mobile, can be ordered programmed to various formats in exact number sequence required. Just as with traditional physical credentials, Conekt mobile credentials can also be private labeled with a company name, logo, phone number, web address, or other information.

Specifications	CMC-2 Conekt Mobile Access Credential
Technology	Bluetooth Low Energy (BLE)
Frequency	2.4 GHz
Type <sup>1</sup>	Smartphone mobile access credential, downloadable via Conekt Wallet App
Operation <sup>2</sup>	iPhone or Android-based smartphones
Formats	Wiegand (26-bit and custom formats) and ABA Track II magnetic stripe (clock and data)
Marking <sup>3</sup>	Date code and ID
Read Range <sup>4</sup>	CSR-35P: Upon presentation up to 1.5 inches (38 mm) CSR-35L: Up to 15 feet (4.6 m)
Options <sup>5</sup>	Custom printing of company logo, URL, telephone number, and more

#### NOTES:

- 1 Multiple unique Conekt mobile access credentials may be stored in the Conekt Wallet App.
- 2 Optimized for use with devices supporting BLE version 4.2.
- 3 Matching internal and external sequential coding standard. Custom marking available.
- 4 With 12 VDC at the reader. Read ranges are further subject to the type of smartphone used, the manner in which it is used, as well as the installation and its environment.
- 5 Contact Farpointe to learn more about how mobile access credentials can be customized.

Patent Pending. Farpointe Data reserves the right to change specifications without notice.



© 2018 Farpointe Data, Inc. All rights reserved. Farpointe Data<sup>®</sup>, Pyramid Series Proximity<sup>®</sup>, Delta<sup>®</sup>, and Ranger<sup>®</sup> are the registered U.S. trademarks of Farpointe Data, Inc. LEGIC is a registered trademark of LEGIC Identsystems Ltd. MIFARE, MIFARE DESFire, MIFARE UltraLight, and MIFARE Plus are registered trademarks of NXP B.V. All other trademarks are the property of their respective owners.

### Farpointe Data, Inc.

1376 Borregas Avenue Sunnyvale, CA 94089-1004 USA Office: +1-408-731-8700 Fax: +1-408-731-8705 support@farpointedata.com